

**INTRODUCING**

**APRIL 2006**

**Z10252**

Supersedes  
**Z10244**

**ROL**<sup>TM</sup>  
**Xtreme**

**2006**

**PERFORMANCE**

**GASKETS**

**CATALOG**

**From the DYNAMIC Sealing Experts**

Featuring:

**ClearSeal**<sup>TM</sup> Coating **HIGH TEMPERATURE**  
**DrySeal+**<sup>TM</sup> **PoziSeal**<sup>TM</sup> **Hi-Per Blue**<sup>TM</sup>

# PERFORMANCE GASKETS

## AMC, JEEP and JEEP/EAGLE

APPLICATION	HEAD GASKET	INTAKE MANIFOLD	EXHAUST HEADER		VALVE COVER		OIL PAN
<b>AMC, JEEP and JEEP/EAGLE V8</b> 290, 304, 343, 360, 390, 401 1967-92	<b>HI-TEMP. HG31190HT</b>	1/16" Thick 1.15" X 2.22" <b>MS800</b>	1.12" X 1.78" <b>MS851</b>	<b>HI-TEMP. 1.12" X 1.78" MS5950HT</b>	<b>PREMIUM CORK RUBBER</b> 3/16" Thick <b>VS875</b>	<b>HI-PER BLUE</b> 3/16" Thick <b>VS875HP</b>	<b>HI-PER BLUE OS5210HP</b>

## CHRYSLER PRODUCTS

APPLICATION	HEAD GASKET	INTAKE MANIFOLD	EXHAUST HEADER		VALVE COVER		OIL PAN
<b>CHRYSLER V8</b> 273, 318, 340, 360 1966-89 (Exc. 1966-67 Canadian Built)	<b>HI-TEMP. HG31030HT</b>	(w/ 2bbl. Heads) 1/16" Thick 1.07" X 2.06" <b>MS306</b>  (w/ 4bbl. Heads) 1/16" Thick 1.12" X 2.25" <b>MS307</b>	(w/ 2bbl. Heads) 1.30" X 1.64" <b>MS358</b>  (w/ 4bbl. Heads) 1.36" X 1.86" <b>MS353</b>	<b>HI-TEMP. (w/ 2bbl. Heads) 1.30" X 1.64" MS5935HT</b>  (w/ 4bbl. Heads) 1.36" X 1.86" <b>MS5938HT</b>	<b>PREMIUM CORK RUBBER</b> 3/16" Thick <b>VS379</b>	<b>HI-PER BLUE</b> 3/16" Thick <b>VS5876HP</b>	<b>HI-PER BLUE (1970-89) Exc. 360 OS5205HP 360 OS5201HP (1966-69) OS5230HP</b>
<b>CHRYSLER V8</b> 361, 383, 400, 413, 426, 440 1959-78	<b>HI-TEMP. HG31130HT</b> (Exc. Hemi)	<b>Port Gaskets</b> 1/32" Thick 1.18" X 2.27" <b>MS301</b> (Exc. Hemi)	Rect. Port 1.74" X 1.45" <b>MS351</b> (Exc. Hemi)	<b>HI-TEMP. Rect. Port 1.74" X 1.45" MS5936HT</b> (Exc. Hemi)	<b>PREMIUM CORK RUBBER</b> (w/ 6 Bolt Cover) Exc. Hemi 3/16" Thick <b>VS378</b>  (w/ 10 Bolt Cover) Hemi 3/16" Thick <b>VS562</b>	<b>HI-PER BLUE</b> (w/ 6 Bolt Cover) Exc. Hemi 3/16" Thick <b>VS5877HP</b>  (w/ 10 Bolt Cover) Hemi 3/16" Thick <b>VS562HP</b>	<b>HI-PER BLUE OS5225HP</b> (2 Required w/ Windage Tray)

## FORD PRODUCTS

APPLICATION	HEAD GASKET	INTAKE MANIFOLD	EXHAUST HEADER		VALVE COVER		OIL PAN
<b>FORD V8</b> 260, 289, 302, 351W 1962-95 (Exc. 302 Boss)	<b>HI-TEMP. HG32841HT</b>  <b>RACING HG32841HR</b>	1/16" Thick 1.20" X 2.00" <b>MS203</b>	Rect. Port 1.12" X 1.52" <b>MS253</b>	<b>HI-TEMP. Rect. Port 1.12" X 1.52" MS5930HT</b>	<b>PREMIUM CORK RUBBER</b> 3/16" Thick <b>VS276</b>	<b>HI-PER BLUE</b> 3/16" Thick <b>VS5870HP</b>  <b>DRY SEAL +</b> 3/16" Thick (Silicone w/Steel Core) <b>VS706HR</b>	<b>HI-PER BLUE (Exc. 351W) OS5325HP (351W) OS5305HP</b>
<b>FORD V8</b> 351C, 351M, 400 1970-82	<b>HI-TEMP. HG31090HT</b>	(w/ 2bbl. Heads) 1/16" Thick 1.65" X 2.25" <b>MS211</b>  (w/ 4bbl. Heads) 1/16" Thick 1.85" X 2.65" <b>MS214</b>	(w/ 2bbl. Heads) 1.56" X 1.96" <b>MS263</b>  (w/ 4bbl. Heads) 1.90" X 2.20" <b>MS258</b>	<b>HI-TEMP. (w/ 2bbl. Heads) 1.56" X 1.96" MS5951HT</b>  (w/ 4bbl. Heads) 1.90" X 2.20" <b>MS5932HT</b>	<b>PREMIUM CORK RUBBER</b> 3/16" Thick <b>VS274</b>	<b>HI-PER BLUE</b> 3/16" Thick <b>VS5871HP</b>	<b>HI-PER BLUE OS5300HP</b>

# PERFORMANCE GASKETS

## FORD PRODUCTS (Continued)

APPLICATION	HEAD GASKET	INTAKE MANIFOLD	EXHAUST HEADER		VALVE COVER		OIL PAN
<b>FORD V8</b> 429, 460 1968-98	<b>HI-TEMP.</b> <b>HG32410HT</b>	1/16" Thick 2.00" X 2.30" <b>MS208</b>	Oval Port 1.27" X 2.08" <b>MS259</b>	<b>HI-TEMP.</b> Oval Port 1.27" X 2.08" <b>MS5954HT</b>	<b>PREMIUM CORK RUBBER</b> (1968-87) 3/16" Thick <b>VS278</b>	<b>HI-PER BLUE</b> (1968-87) 3/16" Thick <b>VS278HP</b>	<b>HI-PER BLUE</b> (1968-89) <b>OS5315HP</b>

## GENERAL MOTORS PRODUCTS

APPLICATION	HEAD GASKET	INTAKE MANIFOLD	EXHAUST HEADER		VALVE COVER		OIL PAN
<b>CHEVROLET V6</b> 262 (4.3L) 1985-99	<b>HI-TEMP.</b> Exc. Turbo) <b>HG32680HT</b>	1986-92 (Exc. Vortec and Turbo) 1/16" Thick 1.28" X 2.10" <b>MS130</b>	1985-95 Square Port 1.50" X 1.50" (Exc. Vortec) <b>MS162</b>	<b>HI-TEMP.</b> 1985-95 Square Port 1.50" X 1.50" (Exc. Vortec) <b>MS162HT</b>		<b>SILICONE</b> (1994-99) <b>VS430</b> (1985-93) <b>VS962</b>	<b>SILICONE</b> 1986-95 <b>OS5890</b>
<b>CHEVROLET V8</b> 262, 267, 305 1975-02	<b>HI-TEMP.</b> <b>HG31010HT</b>	(1975-95) 1.23" X 2.00" 1/16" Thick <b>MS101B</b> (Exc. Vortec)  1996-02 1.08" X 2.00" 1/8" Thick <b>MS104</b> (Vin M, Vortec)	Rect. Port 1.45" X 1.58" <b>MS150A</b>  Round Port 1.60" Diam. <b>MS150</b>	<b>HI-TEMP.</b>  Rect. Port 1.45" X 1.58" <b>MS5901HT</b>  Round Port 1.60" Diam. <b>MS5902HT</b>	<b>PREMIUM CORK RUBBER</b>  3/16" Thick <b>VS175</b> 5/16" Thick <b>VS179</b>	(1987-02) <b>SILICONE VS981</b>  (1975-86) <b>HI-PER BLUE VS5860HP</b> 3/16" Thick <b>VS5861HP</b>  <b>DRY SEAL +</b> 3/16" Thick (Silicone w/ Steel Core) <b>VS703HR</b>	<b>SILICONE</b> (1986-02) <b>OS5836</b>  <b>HI-PER BLUE</b> (1975-85) <b>OS5720HP</b>
<b>CHEVROLET V8</b> 265, 283, 302, 307, 327, 350 1955-02	<b>HI-TEMP.</b> <b>HG31000HT</b>  <b>STEEL SHIM HG31600</b>  <b>RACING HG31000HR</b>	(1996-02) 1.08" X 2.00" 1/8" Thick <b>MS104</b> (Vin R, Vortec)  (1957-95) 1.23" X 2.00" 1/16" Thick <b>MS101B</b> (Exc. Vortec)	Rect. Port 1.45" X 1.58" <b>MS150A</b>  Round Port 1.60" Diam. <b>MS150</b>	<b>HI-TEMP.</b>  Rect. Port 1.45" X 1.58" <b>MS5901HT</b>  Round Port 1.60" Diam. <b>MS5902HT</b>	(1955-86) <b>PREMIUM CORK RUBBER</b>  3/16" Thick <b>VS175</b>  5/16" Thick <b>VS179</b>  5/16" Thick (w/ Rubber Coating and Metal Core) <b>VS176</b>	(1987-02) <b>DRY SEAL + VS981HR</b>  (1955-86) <b>HI-PER BLUE VS5860HP</b> 3/16" Thick <b>VS5861HP</b>  <b>DRY SEAL +</b> 3/16" Thick (Silicone w/ Steel Core) <b>VS703HR</b>	(1986-02) <b>SILICONE OS5836</b>  <b>HI-PER BLUE</b> (1975-85) <b>OS5720HP</b> (1955-74) <b>OS5276HP</b>

# PERFORMANCE GASKETS

## GENERAL MOTORS PRODUCTS (Continued)

APPLICATION	HEAD GASKET	INTAKE MANIFOLD	EXHAUST HEADER		VALVE COVER		OIL PAN
<b>CHEVROLET V8</b> 400 1970-80	<b>HI-TEMP.</b> w/Steam Holes <b>HG31250HT</b>  W/O Steam Holes <b>HG31251HT</b>	1/16" Thick 1.23" X 2.00" <b>MS101B</b>	Rect. Port 1.45" X 1.58" <b>MS150A</b>  Round Port 1.60" Diam. <b>MS150</b>	<b>HI-TEMP.</b>  Rect. Port 1.45" X 1.58" <b>MS5901HT</b>  Round Port 1.60" Diam. <b>MS5902HT</b>	<b>PREMIUM CORK</b>  3/16" Thick <b>VS175</b>  5/16" Thick <b>VS179</b>  5/16" Thick (w/ Rubber Coating and Metal Core) <b>VS176</b>	<b>HI-PER BLUE</b> 3/16" Thick <b>VS5860HP</b> 5/16" Thick <b>VS5861HP</b>  <b>DRY SEAL +</b> 3/16" Thick (Silicone w/ Steel Core) <b>VS703HR</b>	<b>HI-PER BLUE</b> (1975-85) <b>OS5720HP</b> (1970-74) <b>OS5276HP</b>
<b>CHEVROLET V8</b> 366, 396, 402, 427, 454 1965-95	(1965-79) Gen. IV Blocks  <b>HI-TEMP.</b> <b>HG31170HT</b>  <b>RACING</b> <b>HG31170HR</b>	(1965-90) Oval Port 1/16" Thick 1.87" X 2.13" <b>MS107</b>  Rect. Port 1/16" Thick 1.78" X 2.50" <b>MS108</b>	(1965-95) Rect. Port 1.87" X 1.92" <b>MS153</b>  Round Port 1.92" Diam. <b>MS152</b>	(1965-95) <b>HI-TEMP.</b>  Rect. Port 1.87" X 1.92" <b>MS5910HT</b>  Round Port 1.92" Diam. <b>MS5911HT</b>	(1965-85) <b>PREMIUM CORK RUBBER</b> 3/16" Thick <b>VS177</b>  5/16" Thick <b>VS182</b>	(1965-85) <b>DRY SEAL + VS743HR</b> (3/16" Silicone w/ Steel Core)  <b>HI-PER BLUE</b> 3/16" Thick <b>VS5862HP</b>  5/16" Thick <b>VS5863HP</b>	(1965-00) <b>DRY SEAL + OS6170HR</b> (Silicone w/ Steel Core; Suitable for "Stroker" Engines)  (1965-90) <b>HI-PER BLUE</b> <b>OS5260HP</b>
<b>OLDSMOBILE V8</b> 330, 350, 400, 403, 425, 455 1964-80	<b>HI-TEMP.</b> <b>HG31160HT</b> (Exc. 403)	<b>Port Gaskets</b> (330, 350, 403) 1/32" Thick 1.39" X 2.06" <b>MS405</b>  (400, 425, 455) 1/32" Thick 1.39" X 2.45" <b>MS404</b>	Rect. Port 1.40" X 1.93" <b>MS453</b>	<b>HI-TEMP.</b> Rect. Port 1.40" X 1.93" <b>MS5945HT</b>	<b>PREMIUM CORK RUBBER</b> 3/16" Thick <b>VS476</b>	<b>HI-PER BLUE</b> 3/16" Thick <b>VS5875HP</b>	<b>HI-PER BLUE</b> <b>OS5250HP</b>
<b>PONTIAC V8</b> 326, 350, 389, 400, 421, 428, 455 1963-79	<b>HI-TEMP.</b> <b>HG31320HT</b>	1/16" Thick 1.12" X 2.04" <b>MS502</b> (Exc. "Ram Air")	w/ Split Center 1.48" X 1.94" <b>MS550</b> (Exc. "Ram Air")  w/ Open Center 1.55" X 2.00" <b>MS550A</b> (Exc. "Ram Air")	<b>HI-TEMP.</b>  w/ Split Center 1.48" X 1.94" <b>MS5921HT</b> (Exc. "Ram Air")  w/ Open Center 1.55" X 2.00" <b>MS5920HT</b> (Exc. "Ram Air")	<b>PREMIUM CORK RUBBER</b> 3/16" Thick <b>VS576</b>	<b>HI-PER BLUE</b> 3/16" Thick <b>VS5869HP</b>	<b>HI-PER BLUE</b> (1976-79) w/ 5 Hole Rear Flange <b>OS5350HP</b>  (1962-76) w/ 3 Hole Rear Flange <b>OS5245HP</b>

# PERFORMANCE GASKETS

## MODIFIED PORT INTAKE MANIFOLD GASKETS

### CHEVROLET V8 SMALL BLOCK - 262, 265, 267, 283, 302, 305, 307, 327, 350, 400 ENGINES

PART NO.	DESCRIPTION	PORT SIZE	THICKNESS
MS100	UNIVERSAL (BLANK)	NO PORTS (Trim to size)	1/16" (0.062")
MS102	MEDIUM RACE PORT	1.34" X 2.21"	1/16" (0.062")
MS103	MEDIUM RACE PORT	1.34" X 2.21"	1/8" (.125")
MS111	LARGE RACE PORT	1.38" X 2.28"	1/16" (0.062")
MS123	EXTRA LARGE RACE PORT	1.38" X 2.38"	1/16" (0.062")

### CHEVROLET V8 BIG BLOCK - 396, 402, 427, 454 ENGINES

PART NO.	DESCRIPTION	PORT SIZE	THICKNESS
MS109	UNIVERSAL (BLANK)	NO PORTS (Trim to size)	1/16" (0.062")
MS121	RECTANGULAR PORT - W/O UPPER BOLT HOLES AT INTAKE PORTS	1.82" X 2.54"	1/16" (0.062")
MS510	PONTIAC CORPORATE/BRODIX HEAD	1.90" X 2.70"	1/16" (0.062")
MS512	DART "BIG CHIEF" HEAD	1.86" X 2.46"	1/16" (0.062")

### FORD V8 SMALL BLOCK -260, 289, 302 Except "BOSS"; 351 Eng.

PART NO.	DESCRIPTION	PORT SIZE	THICKNESS
MS223	LARGE RACE PORT	1.28 X 2.10	1/16" (0.062")

## MODIFIED PORT EXHAUST HEADER GASKETS

### CHEVROLET V8 SMALL BLOCK - 262, 265, 267, 283, 302, 305, 307, 327, 350, 400 ENGINES

PART NO.	DESCRIPTION	PORT SIZE	PORT SHAPE
MS5904HT	HOOKEE / STAHL COMBINATION ADAPTER PLATE	1.81" DIA.	ROUND
MS5905HT	HOOKEE REVERSION PLATE FOR LARGE TUBE HEADERS	2.19" DIA.	ROUND
MS5906HT	BRODIX SPREAD PORT	1.81" DIA.	ROUND

### CHEVROLET V8 BIG BLOCK - 396, 402, 427, 454 ENGINES

PART NO.	DESCRIPTION	PORT SIZE	PORT SHAPE
MS5912HT	LARGE RACE PORT	2.13" DIA.	ROUND
MS5913HT	EXTRA LARGE RACE PORT	2.08" X 2.08"	SQUARE
MS5944HT	PRO STOCK - CHEVROLET BOLT PATTERN	2.40" DIA.	ROUND

### FORD 4 CYL. - 2.0L ENGINE

PART NO.	DESCRIPTION	PORT SIZE	PORT SHAPE
MP47260	FORMULA 2000	1.18" X 1.55"	RECTANGULAR

# PERFORMANCE GASKETS

## HEAD GASKET TECHNICAL INFORMATION

PART NUMBER	BORE SIZE	NOMINAL COMPRESSED THICKNESS	APPROX. COMPRESSED VOLUME	MATERIAL CONSTRUCTION	CYLINDER HEAD COMPATIBILITY
HG31000HR	4.125"	0.039"	8.5cc	GRAPHITE W/STEEL CORE & STAINLESS STEEL FIRE RING	CAST IRON OR ALUMINUM
HG31000HT	4.125"	0.045"	9.9cc	GRAPHITE W/STEEL CORE & STAINLESS STEEL FIRE RING	CAST IRON OR ALUMINUM
HG31010HT	3.825"	0.045"	8.6cc	GRAPHITE W/STEEL CORE & STAINLESS STEEL FIRE RING	CAST IRON OR ALUMINUM
HG31030HT	4.125"	0.045"	9.9cc	GRAPHITE W/STEEL CORE & STAINLESS STEEL FIRE RING	CAST IRON OR ALUMINUM
HG31080HT	4.250"	0.045"	10.7cc	GRAPHITE W/STEEL CORE & STAINLESS STEEL FIRE RING	CAST IRON OR ALUMINUM
HG31090HT	4.090"	0.045"	9.7cc	GRAPHITE W/STEEL CORE & STAINLESS STEEL FIRE RING	CAST IRON OR ALUMINUM
HG31130HT	4.505"	0.045"	11.8cc	GRAPHITE W/STEEL CORE & STAINLESS STEEL FIRE RING	CAST IRON OR ALUMINUM
HG31160HT	4.260"	0.045"	10.5cc	GRAPHITE W/STEEL CORE & STAINLESS STEEL FIRE RING	CAST IRON OR ALUMINUM
HG31170HR	4.345"	.039"	9.5cc	GRAPHITE W/STEEL CORE & STAINLESS STEEL FIRE RING	CAST IRON OR ALUMINUM
HG31170HT	4.345"	0.045"	10.9cc	GRAPHITE W/STEEL CORE & STAINLESS STEEL FIRE RING	CAST IRON OR ALUMINUM
HG31190HT	4.275"	0.045"	10.6cc	GRAPHITE W/STEEL CORE & STAINLESS STEEL FIRE RING	CAST IRON OR ALUMINUM
HG31250HT	4.185"	0.045"	10.1cc	GRAPHITE W/STEEL CORE & STAINLESS STEEL FIRE RING	CAST IRON OR ALUMINUM
HG31251HT	4.185"	0.045"	10.1cc	GRAPHITE W/STEEL CORE & STAINLESS STEEL FIRE RING	CAST IRON OR ALUMINUM
HG31310HT	4.400"	0.045"	11.2cc	GRAPHITE W/STEEL CORE & STAINLESS STEEL FIRE RING	CAST IRON OR ALUMINUM
HG31320HT	4.200"	0.045"	10.2cc	GRAPHITE W/STEEL CORE & STAINLESS STEEL FIRE RING	CAST IRON OR ALUMINUM
HG31600	4.090"	0.024"	5.3cc	CARBON STEEL SHIM	CAST IRON
HG32410HT	4.500"	0.045"	11.7cc	GRAPHITE W/STEEL CORE & STAINLESS STEEL FIRE RING	CAST IRON OR ALUMINUM
HG32680HT	4.160"	0.045"	10.0cc	GRAPHITE W/STEEL CORE & STAINLESS STEEL FIRE RING	CAST IRON OR ALUMINUM
HG32841HR	4.115"	0.039"	8.5cc	GRAPHITE W/STEEL CORE & STAINLESS STEEL FIRE RING	CAST IRON OR ALUMINUM
HG32841HT	4.115"	0.045"	9.8cc	GRAPHITE W/STEEL CORE & STAINLESS STEEL FIRE RING	CAST IRON OR ALUMINUM


# PERFORMANCE GASKETS

## CARBURETOR AND AIR CLEANER MOUNTING GASKETS


<b>UNIVERSAL AIR CLEANER GASKET</b>		<b>CM6186</b>
<b>CARTER</b>		
<b>AFB</b>	OPEN PLENUM	<b>CM0054</b>
	4 HOLE - 1 3/4" DIA.	<b>CM0055</b>
	4 HOLE - 1 31/64" DIA.	<b>CM0057</b>
<b>THERMOQUAD</b>	OPEN PLENUM - SPREADBORE	<b>CM0057B</b>
	4 HOLE - SPREADBORE	<b>CM0057A</b>
<b>HOLLEY</b>		
<b>FUEL BOWL</b> (5 PER PACK)	MODEL # - 2300, 4150, 4160, 4500	<b>CM6183</b>
<b>METERING BLOCK</b> (5 PER PACK)	MODEL # - 2300, 4150, 4160	<b>CM6181</b>
<b>FUEL BOWL AND METERING BLOCK</b> (SET - 1 OF EACH)	MODEL # - 2300, 4150, 4160	<b>CM1509</b>
<b>2 BARREL</b>	2 HOLE - 1 3/4" DIA.	<b>CM0049</b>
<b>4 BARREL</b> <small>(EXC. 4500 &amp; 390 CFM)</small>	OPEN PLENUM	<b>CM0054</b>
	4 HOLE - 1 3/4" DIA.	<b>CM0055</b>
	SPREADBORE - OPEN PLENUM	<b>CM0058E</b>
<b>390 CFM</b>	OPEN PLENUM - SPREADBORE	<b>CM0056A</b>
	4 HOLE - 1 31/64" DIA.	<b>CM0057</b>
<b>4500</b> <small>(DOMINATOR)</small>	OPEN PLENUM	<b>CM0058C</b>
	4 HOLE - 2 1/16" DIA.	<b>CM0058B</b>
<b>ROCHESTER</b>		
<b>QUADRAJET</b>	OPEN PLENUM - SPREADBORE	<b>CM0056A</b>
	4 HOLE - SPREADBORE	<b>CM0056</b>




CM6181




CM6183




CM0049



CM0054




CM0055




CM0056




CM0056A




CM0057




CM0057A



CM0057B



CM0058B



CM0058C



CM0058E

# PERFORMANCE GASKETS

## HEADER COLLECTOR GASKETS

### TRIANGLE


COLLECTOR DIAMETER	BOLT CIRCLE	PREMIUM MATERIAL	HI-TEMP.
2 1/2"	3 1/2 "	MP0076	MP5980HT
3"	3 7/8"	MP1204	MP5971HT
3 1/2"	4 7/16"	MP1203	MP5972HT

### SQUARE


COLLECTOR DIAMETER	BOLT CIRCLE	PREMIUM MATERIAL	HI-TEMP.
2 1/2"	3 5/16 "	MP1190	MP5973HT
3"	4 1/16"	MP1208	MP5974HT
3 1/2"	4 9/16"- 5"	MP1209	MP5975HT

### ROUND


COLLECTOR DIAMETER	BOLT CIRCLE	PREMIUM MATERIAL	HI-TEMP.
2 7/8"	3 3/4" W/ 3 BOLT 4" W/ 4 BOLT	MP1192	MP5976HT
3"	3 5/8"	MP1200	MP5977HT
3 3/8"	4 3/8" W/ 3 BOLT 1/2" W/ 4 BOLT	MP1193	MP5979HT
3 1/2"	4 1/8"	MP1207	MP5978HT



MP0076, MP1203, MP1204  
MP5971HT, MP5972HT, MP5980HT



MP1190, MP1208, MP1209,  
MP5973HT, MP5974HT, MP5975HT





MP1192, MP1193, MP1200, MP1207,  
MP5976HT, MP5977HT, MP5978HT,  
MP5979HT

# PERFORMANCE GASKETS

## AUTOMATIC TRANSMISSION PAN GASKETS

CHRYSLER PRODUCTS		HI-PER BLUE
TORQUEFLITE A904		GB12716HP
TORQUEFLITE A727		GB12731HP
FORD PRODUCTS		HI-PER BLUE
C4, C5		GB12751HP
C6		GB12741HP
FMX / CRUISE-O-MATIC		GB12701HP
GENERAL MOTORS PRODUCTS		HI-PER BLUE
POWERGLIDE		GB12721HP
TURBO HYDRAMATIC 350		GB12746HP
TURBO HYDRAMATIC 400		GB12736HP



## REAR AXLE COVER / DIFFERENTIAL GASKETS

CHRYSLER PRODUCTS		
DANA 60 - 9 3/4" (Cover)		DS14214
8 3/4" (Differential)		DS14202
FORD PRODUCTS		
9" (Differential)		DS14210
8" (Differential)		DS14225
GENERAL MOTORS PRODUCTS		
12 Bolt (Cover)		DS14206
10 Bolt (Cover)		DS14208
Quick Change Rear End		
10 Bolt (Cover)	Graphite (Re-Useable) • 12 Holes	DS1400HT

